

PRODUCTS


Chain Hoists

- Made in South Korea
- Load tested to 150% of rated capacity
- Meets ANSI/ASME Standards
- ISO 9001 and TUV-CE Certified factory
- High quality alloy load chain meets all international safety standards
- Spur gear design for efficiency, portability, and economy
- Equipped with a mechanical brake for load control in lifting and spotting
- Completely repairable with easy access for maintenance
- Parts and service available
- Rugged steel casing protects gears and bearings

- 10, 15 and 20 foot standard lifts. Custom lifts available
- Standard hand chain drop is 1 foot less than lift

NEW

- Optional overload protection available



Chain Hoists Diagram

■ CH050 - Chain Hoist



Capacity (lbs): 1,100
Load Chain (mm): 6.3 x 19.1
Hand Chain (mm): 5.0 x 22.8
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 24
Number of Falls: 1
Pull to Lift Capacity (lbs): 53
A (in): 5.91
B (in): 6.06
C (in): 12.40

■ CH100 - Chain Hoist



Capacity (lbs): 2,200
Load Chain (mm): 6.3 x 19.1
Hand Chain (mm): 5.0 x 22.8
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 28
Number of Falls: 1
Pull to Lift Capacity (lbs): 73
A (in): 5.79
B (in): 6.18
C (in): 12.40

■ **CH150 - Chain Hoist**



Capacity (lbs): 3,300
Load Chain (mm): 7.1 x 21
Hand Chain (mm): 5.0 x 22.8
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 31
Number of Falls: 1
Pull to Lift Capacity (lbs): 75
A (in): 5.79
B (in): 6.85
C (in): 13.39

■ **CH200 - Chain Hoist**



Capacity (lbs): 4,400
Load Chain (mm): 7.9 x 23
Hand Chain (mm): 5.5 x 23.6
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 48
Number of Falls: 1
Pull to Lift Capacity (lbs): 75
A (in): 7.05
B (in): 8.03
C (in): 14.96

■ **CH300 - Chain Hoist**



Capacity (lbs): 6,600
Load Chain (mm): 7.1 x 21
Hand Chain (mm): 5.0 x 22.8
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 51
Number of Falls: 2
Pull to Lift Capacity (lbs): 77
A (in): 5.79
B (in): 8.11
C (in): 18.70

■ **CH500 - Chain Hoist**



Capacity (lbs): 11,000
Load Chain (mm): 9.0 x 27
Hand Chain (mm): 5.5 x 23.6
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 90
Number of Falls: 2
Pull to Lift Capacity (lbs): 86
A (in): 7.05
B (in): 10.35
C (in): 25.00

■ CH750 - Chain Hoist



Capacity (lbs): 16,500
Load Chain (mm): 9.0 x 27
Hand Chain (mm): 5.0 x 24
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 126
Number of Falls: 3
Pull to Lift Capacity (lbs): 90
A (in): 7
B (in): 14
C (in): 31.5

■ CH1000 - Chain Hoist



Capacity (lbs): 22,000
Load Chain (mm): 9.0 x 27
Hand Chain (mm): 5.5 x 23.6
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 172
Number of Falls: 4
Pull to Lift Capacity (lbs): 90
A (in): 7.05
B (in): 14.45
C (in): 29.92

■ CH1500 - Chain Hoist



Capacity (lbs): 33,000
Load Chain (mm): 9.0 x 27
Hand Chain (mm): 5.5 x 23.6
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 331
Number of Falls: 6
Pull to Lift Capacity (lbs): 90 x
2
A (in): 7.05
B (in): 29.98
C (in): 33.46

■ CH2000 - Chain Hoist



Capacity (lbs): 44,000
Load Chain (mm): 9.0 x 27
Hand Chain (mm): 5.5 x 23.6
Standard Lift (ft): 10, 15, 20
Net Weight (lbs): 419
Number of Falls: 8
Pull to Lift Capacity (lbs): 90 x
2
A (in): 7.05
B (in): 34.37
C (in): 34.25